

# **COMPARISON OF MAPPING SPECIFICATIONS**

# **PURPLE – NON-COURSE SYMBOLS**

Green = symbol change, map needs to change. Yellow = symbol change, gets smaller. Blue = symbol change, gets bigger or more frequent.

Pink = ISOM 2017 and ISSprOM differ. Red = symbol different, fix when field checking map. Olive green = not sure about this change in symbol.

ISOM 2000	ISOM 2017-2 (Adjusted version	ISSOM 1 January 2007	ISSprOM 2019 (valid from 1 January
	published January 2019)		2020, with errata)
707 Uncrossable boundary	708 Out-of-bounds boundary (L)	707 Uncrossable boundary (forbidden	708 Out-of-bounds boundary (L)
		to cross)	
A boundary which it is not permitted to	A boundary which it is not permitted to	A boundary which it is not permitted to	
cross.	cross.	cross.	
	An out-of-bounds boundary shall not be		An out-of-bounds boundary shall not be
	crossed.		crossed.
	Minimum length: 1 mm (footprint: 15		It shall be used for temporary
	m).		uncrossable boundaries used for the
			course setting.
		Uncrossable boundaries shall be	
		mapped by using the symbols:	
		impassable cliff (201), impassable body	
		of water (304.1), impassable marsh	
		(309), impassable wall (521.1),	
		impassable fence or railing (524) or	
		impassable pipeline (534) and shall not	
		be overprinted with symbol <i>uncrossable</i>	
		boundary (707).	
		This symbol is to be used only for last	
		minute updates to the competition	
		area, as excessive use of purple for	
		indicating barriers is unfortunate.	
		It is forbidden to cross an uncrossable	[OA Rule 17.2 says competitors shall
		boundary!	not cross a feature drawn with an Out-
		Competitors violating this rule will be	of-bounds boundary symbol.]
		disqualified.	
Colour: purple.	Colour: purple (under purple).	Colour: purple.	Colour: purple (lower purple).
Line width: 0.7mm	Line width: 0.7mm	Line width: 0.7mm	Line width: 1.0mm

#### 709 Out-of-bounds area

An out-of-bounds area, see also symbol 528, is shown with vertical stripes. A bounding line may be drawn if there is no natural boundary, as follows: - a solid line indicates that the boundary

- is marked continuously (tapes, etc.) on the ground, - a dashed line indicates intermittent
- marking on the ground, - no line indicates no marking on the
- ground.

Colour: purple.

Vertical line width: 0.25mm

Distance between vertical lines: 0.6mm

Solid boundary line width: 0.25mm Dashed boundary line width: 0.3mm

### 709 Out-of-bounds area (A)

An out-of-bounds area.

A bounding line may be drawn if there is no natural boundary, as follows:

- A solid line indicates that the boundary is marked continuously (tapes, etc.) in the terrain.
- A dashed line indicates intermittent marking in the terrain.
- No line indicates no marking in the terrain.

An out-of-bounds area shall not be entered. [OA Rule 17.2 says competitors shall not cross a feature drawn with an Out-of-bounds area symbol.]

Minimum area: 2 mm x 2 mm (footprint

30 m x 30 m).

Colour: purple (upper purple). Cross-hatch line width: 0.25mm Distance between cross-hatch lines: 0.8mm (CC)

Angle of cross-hatch line: 45 degrees Boundary line width: 0.25mm Dashed line length: 3.0mm

# 709 Out-of-bounds area (forbidden to

An out-of-bounds area is shown with vertical stripes.

A bounding line may be drawn if there is no natural boundary, as follows:

- a solid line indicates that the boundary is marked continuously (tapes, etc.) on the ground,
- a dashed line indicates intermittent marking on the ground,
- no line indicates no marking on the ground.

Out of bounds areas are mapped with the symbol forbidden access (528.1). This symbol shall only be used for last minute updates to the competition map (e.g. for areas that may be dangerous for the competitors during the competition, or very late changes to the competition terrain).

It is forbidden to cross an out-ofbounds area!

Competitors violating this rule will be disqualified.

Colour: purple.

Vertical line width: 0.25mm

Distance between vertical lines: 0.6mm (CC)

Boundary line width: 0.25mm

Dashed boundary line width: 0.25mm

Length of dashes: 3.0mm

### 709 Out-of-bounds area (A)

An out-of-bounds area.

A bounding line may be drawn if there is no natural boundary as follows:

- a solid line indicates that the boundary is marked continuously (tapes, etc.) in the terrain,
- a dashed line indicates intermittent marking in the terrain,
- no line indicates no marking in the terrain.

An out-of-bounds area shall not be entered. [OA Rule 17.2 says competitors shall not cross a feature drawn with an Out-of-bounds area symbol.]

Minimum width: 2 mm.

Minimum area: 4 mm<sup>2</sup> (footprint 64 m²).

Colour: purple (upper purple). Cross-hatch line width: 0.25mm Distance between cross-hatch lines:

0.8mm (CC)

Angle of cross-hatch line: 45 degrees Boundary line width: 0.25mm Dashed line length: 3.0mm

Gap between dashes in boundary line:	Gap between dashes in boundary line:	Gap between dashes in boundary line:	Gap between dashes in boundary line:
0.5m	0.5m	0.5m	0.5m
710 Dangerous area An area presenting danger to the competitor is shown with cross-hatched diagonal lines. Colour: purple. Cross-hatch line width: 0.25mm	No symbol.	No symbol.	No symbol.
Distance between cross-hatch lines: 0.6mm (CC)			
708 Crossing point	710 Crossing point (P)	708 Crossing point	710.1 Crossing point (P)
A crossing point through or over a wall or fence, or across a road or railway or through a tunnel or an out-of-bounds area is drawn on the map with two lines curving outwards.	A crossing point, for instance through or over a wall or fence, across a road or railway, through a tunnel or out-of-bounds area, or over an uncrossable boundary is drawn on the map with two lines curving outwards.  The lines shall reflect the length of the crossing.	A crossing point through or over a wall or fence, or across a road or railway or through a tunnel or an out-of-bounds area is drawn on the map with two lines curving outwards.	A crossing point through or over a wall or fence, or across a road or railway or through a tunnel or an out-of-bounds area is drawn on the map with two lines curving outwards.
		If underpasses or tunnels etc. are to be used in a competition, they shall be emphasized with symbol <i>crossing point</i> (708) or <i>crossing section</i> (708.1).	If underpasses or tunnels etc. are to be used in a competition, they shall be emphasized with symbol <i>Crossing point</i> (710.1) or <i>Crossing section</i> (710.2). [This sentence is in red text in ISSprOM.]
Colour: purple. Line width: 0.35mm Distance between ends of brackets: 3.0mm Min distance between brackets: 0.6mm (IM)	Colour: purple (lower purple). Line width: 0.35mm? Distance between ends of brackets: 3.0mm Min distance between brackets: 0.6mm (IM)	Colour: purple. Line width: 0.35mm Distance between ends of brackets: 3.0mm Min distance between brackets: 0.9mm [CC?]	Colour: purple (lower purple). Line width: 0.35mm Distance between ends of brackets: 3.0mm (OM) Min distance between brackets: 1.0mm (IM) [The Out-of-bounds boundary in the drawing for 710.1 has a width of 0.7, rather than 1.0.]

No symbol	No symbol	708.1 Crossing section	710.2 Crossing section (L)
		A crossing section through or over a	A crossing section through or over a
		building, wall or fence, or across a road	building, wall or fence, or across a road
		or railway or through a tunnel or an	or railway or through a tunnel or an
		out-of-bounds area is drawn on the	out-of-bounds area is drawn on the
		map as a linear object, according to the	map as a linear object, according to the
		plan shape.	plan shape.
		If underpasses or tunnels etc. are to be	If underpasses or tunnels etc. are to be
		used in a competition, they shall be	used in a competition, they shall be
		emphasized with symbol crossing point	emphasized with symbol Crossing point
		(708) or crossing section (708.1).	(710.1) or <i>Crossing section</i> (710.2). [This
		3	sentence is in red text in ISSprOM.]
		Colour: purple.	Colour: purple (upper purple).
		Line width: 0.35mm	Line width: 0.35mm
		Length of flair: 1.5mm	Length of flair: 1.5mm
711 Forbidden route	711 Out-of-bounds route (L)	No symbol	No symbol
A route which is out-of-bounds is	A route which is out-of-bounds.		
shown with crosses.			
	Competitors are allowed to cross		
	directly over a forbidden route, but it is		
	forbidden to go along it.		
	An out-of-bounds route shall not be		
	used. [OA Rule 17.2 says competitors		
	shall not follow a feature drawn with		
	Out-of-bounds route symbols.]33		
	Minimum length: 2 symbols (6 mm –		
	footprint 90 m).		
Colour: purple.	Colour: purple (upper purple).		
Width of lines in X: 0.35mm	Width of lines in X: 0.35mm		
Length of lines in X: 3.0mm	Length of lines in X: 3.0mm		
	Gap between X's: 4.0-6.0mm (CC)		
712 First aid post	712 First aid post (P)	712 First aid post	No symbol
The location of a first aid post.	The location of a first aid post.	The location of a first aid post.	
Colour: purple.	Colour: purple (lower purple).	Colour: purple.	
Width of lines in cross: 1.0mm	Width of lines in cross: 1.33mm	Width of lines in cross: 1.0mm	
Length of lines in cross: 3.0mm	Length of lines in cross: 4.0mm	Length of lines in cross: 3.0mm	

713 Refreshment point	713 Refreshment point (P)	713 Refreshment point	No symbol
The location of a refreshment point	The location of a refreshment point	The location of a refreshment point	
which is not at a control.	which is not at a control.	which is not at a control or along the	
Colour: purple.	Colour: purple (lower purple).	marked route.	
Line width: 0.35mm	Line width: <mark>0.4mm</mark>	Colour: purple.	
Height of cup: 3.0mm (OM)	Height of cup: 3.5mm (OM)	Line width: 0.35mm	
Width of top of cup: 3.0mm (OM)	Width of top of cup: 3.5mm (OM)	Height of cup: 3.7mm	
	Width of bottom of cup: 2.1mm (OM)	North south max distance between lips	
		of cup: 1.1mm	
		Width of top of cup: 3.05mm	
No symbol	No symbol	714 Temporary construction or closed	714 Temporary construction or closed
		area (forbidden to cross)	area (A)
		Obvious temporary constructions like	Obvious temporary constructions like
		platforms for spectators and speaker,	platforms for spectators and speaker,
		closed area for spectators, outside	closed area for spectators, outside
		restaurant areas, etc. shall be	restaurant areas, etc. shall be
		represented in plan shape.	represented in plan shape.
		It is forbidden to enter a temporary	Minimum width: 0.5 mm.
		construction or closed area!	Minimum area: 0.25 mm² (footprint 4
		Competitors violating this rule will be	m <sup>2</sup> ).
		disqualified.	Colour: purple (outline), purple 50%
		Colour: purple 50%.	(upper purple).
			Outline width: 0.1mm